VERSAILLES

WATERPROOF TRI-CORE



SAR F L D R S ORTHSTAR

FLOORING

YOUR GUIDE TO BETTER FLOORS

VERSAILLES

by SAR Floors Features:

| PRODUCT SPECIFICATIONS | |
|------------------------|---|
| Size | 7" x 48" |
| Overall Thickness | 5.5 mm |
| Wear Layer | 20 Mil |
| Finish | DiamondGuard™/ HealthGuard™ |
| Micro Beveled Edge | Yes |
| Traffic Use | Light Commercial |
| Attached Pad | Quiet Step Cushion+ TM |
| Installation | Floating Click / Unilin |
| Material | Waterproof TriCore [™] |
| Warranty | 15 Year Light Commercial / Limited Lifetime Residential |
| IIC Rating / STC | 63 / 61 (6" Concrete Slab with ceiling) |

| | PACKAGING SPECIFICATIONS |
|-----------------------|--------------------------|
| Pieces per Carton | 12 |
| Sqft per Carton | 28.837 |
| Cartons per Pallet | 45 |
| Sqft per Pallet | 1,297.67 |
| Pallets per Container | 19 |
| Sqft per Container | 24,645 |

FEATURES































SANDY OAK

200



SAR

WATERPROOF TRI≎C©RE





BEACH WOOD









BRONZE WOOD

202



SAR






BRUSHED EARTH









COPPER OAK









VERMONT NAPLE





